

## TREE INSPECTION REPORT

<b>Report number:</b> 91869	<b>Site address of tree:</b> 88-90 Birmingham Road, Mount Evelyn at rear of property in reserve	
<b>Date of inspection:</b> 16/03/2024	<b>Melway:</b> 38 K12	
<b>Name:</b> [REDACTED]	<b>Address:</b> 88-90 Birmingham Road, Mount Evelyn	<b>Phone:</b> [REDACTED]
<b>Recommended action:</b> Clean up failed branches		
<b>Reasons for recommended action:</b> <p>Only 3 trees are at the rear of the property, all 3 trees are Monterey Pine.</p> <p>Tree 1 is tall and straight and vertical. There is an old wound at the base; however, decay appears minimal. Deadwood exists high up but there are virtually no targets beneath the canopy and pines hold onto deadwood. There have been few failures of note.</p> <p>Tree 2 is a mature tree with a minor lean to the north. There is a basal wound; however, there was no sign of significant decay or root plate instability. This tree has lost several limbs over the years, the reasons are uncertain. Several limbs broke when one from high up failed. No broken or split branches were observed.</p> <p>Tree 3 is mature and has a straight, sound trunk. Branches are generally well attached and there have been relatively few failures of significance. Target ratings beneath this tree are very low.</p>		
<b>Risk &amp; works priority:</b> Low		<b>Site conditions &amp; equipment required:</b> Access is possible in the Aqueduct Walk

### Map:



<b>Age:</b> Mature Mature Mature		<b>Common name:</b> Monterey Pine Monterey Pine Monterey Pine		<b>Botanical name:</b> <i>Pinus radiata</i> <i>Pinus radiata</i> <i>Pinus radiata</i>	
<b>Tree No.</b> 1 2 3	<b>Height (m)</b> 30 30 30	<b>Spread (m)</b> 18 14 12	<b>DBH (mm)</b> 1000 1100 900		
<b>Roots condition:</b> Surface roots evident, no recent disturbance Surface roots evident, no recent disturbance Surface roots evident, no recent disturbance			<b>Trunk condition:</b> Good Good, minor lean Good		
<b>Limbs condition:</b> Good Fair, several previous failures fair, some deadwood			<b>Foliage condition:</b> Good Fair Fair		
Amenity value: High x 3			<b>Habitat:</b> <i>Part of habitat corridor:</i> No <i>Hollow bearing:</i> No <i>Native Fauna Use:</i> No		
<b>Distance to building (m):</b> ~25		<b>Do branches overhang buildings?</b> No		<b>Targets</b> Rear yard, old fence, trail	
<b>Company:</b> Ryder Consulting		<b>Name:</b> [REDACTED]		<b>Date report written up:</b> 17/03/2024	

Photo 1



Trees 1 & 2 (right and left)



Photo 2



Tree 3

Photo 3



Tree 2, limb laying on the ground



Photo 4



Tree 2, failed stubs